

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	((("5886702") or ("5945996") or ("6208347") or ("6356263") or ("6392647")).PN.	USPAT	OR	OFF	2005/01/22 18:11
S2	0	"588670".pn. and project\$4	USPAT	OR	ON	2005/01/22 18:11
S3	1	"5886702".pn. and project\$4	USPAT	OR	ON	2005/01/22 18:15
S4	19	(real-time near1 geometry).as. or (viewpoint).as.	USPAT	OR	ON	2005/01/22 18:16
S5	48	(real-time near1 geometry).as. or (viewpoint).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 18:16
S6	9	S5 and ((model\$3 or mesh\$3) near5 (project\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 18:19
S7	479725	(3d or 3-d or ((three or "3") adj dimension\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 18:20
S8	479729	S7 or three-dimension\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 18:20
S9	479731	S7 or (three-dimension\$3 or 3-dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 18:20
S10	31595	S9 with (model\$4 or mesh\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 18:25
S11	21727	S9 near5 model\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 16:02

S12	7014	S11 same imag\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 18:26
S13	482	S12 and (((model\$4 or mesh\$3) near7 (refin\$5 or optimi\$6 ))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 18:26
S14	49	S12 and (((model\$4 or mesh\$3) near7 (refin\$5 or optimi\$6 )) same ((model\$4 or mesh\$3) with (project\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 18:26
S15	28	S14 and (@rlad<"20000328" or @ad<"20000328")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 16:04
S16	37409	S9 with (model\$4 or mesh\$3 or render\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:31
S17	28779	S9 near5 (model\$4 or mesh\$3 or render\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 18:26
S18	10325	S17 same imag\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 18:26
S19	542	S18 and (((model\$4 or mesh\$3) near7 (refin\$5 or optimi\$6 ))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 18:26

S20	51	S18 and (((model\$4 or mesh\$3) near7 (refin\$5 or optimi\$6 )) same ((model\$4 or mesh\$3) with (project\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 18:33
S21	2	S20 not S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:09
S22	71	S18 and (((model\$4 or mesh\$3) near7 (refin\$5 or optimi\$6 or updat\$4)) same ((model\$4 or mesh\$3) with (project\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:10
S23	25	S18 and (((S17) near7 (refin\$5 or optimi\$6 or updat\$4)) same ((model\$4 or mesh\$3) with (project\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:29
S24	20	S22 not S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:10
S25	13	S24 and (@rlad<"20000328" or @ad<"20000328")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:46
S26	4	"9606325"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:27
S27	1	("6044170").PN.	USPAT	OR	OFF	2005/01/22 19:27
S28	42061	S9 with (model\$4 or mesh\$3 or render\$4 or reconstruct\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:31

S29	32842	S9 near5 (model\$4 or mesh\$3 or render\$4 or reconstruct\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 20:35
S30	66	S29 and ((S29 near7 (refin\$5 or optimi\$6 or updat\$4 or improv\$4 or enhanc\$4)) same (S29 with (project\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:43
S31	43	S30 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:32
S32	15	S31 and (@rlad<"20000328" or @ad<"20000328")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:36
S33	1	"6661913".pn. and refin\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:42
S34	14	S29 and (volumetric same carv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:43
S35	70	S29 and (volume\$4 same carv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:43
S36	18	S29 same (volume\$4 same carv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:45

S37	10	"1267309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 19:45
S38	4510	382/154,285.ccls. or 345/418-420. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 20:35
S39	22	S38 and ((S29 near7 (refin\$5 or optimi\$6 or updat\$4 or improv\$4 or enhanc\$4)) same (S29 with (project\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 20:35
S40	2152279	(model\$4 or mesh\$3 or render\$4 or reconstruct\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 20:35
S41	83	S38 and ((S40 near7 (refin\$5 or optimi\$6 or updat\$4 or improv\$4 or enhanc\$4)) same (S40 with (project\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 20:36
S42	4761	382/154,285.ccls. or 345/418-420, 423.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 20:35
S43	91	S42 and ((S40 near7 (refin\$5 or optimi\$6 or updat\$4 or improv\$4 or enhanc\$4)) same (S40 with (project\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 20:36
S44	56	S43 and (@rlad<"20000328" or @ad<"20000328")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 20:36

S45	5573	texture near3 map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:44
S46	176	382/285.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:44
S47	14	S46 and (light\$3 with (background))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:45
S48	45	S46 and (light\$3 with (background or different or vary\$3 or variat\$3 or chang\$3 or modify\$3 or modification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:46
S49	31	S48 and (@rlad<"20000328" or @ad<"20000328")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:20
S50	4520	imag\$3 same ((contour or outline or boundar\$3 or border) with (polygon\$3 or triang\$4 or rectang\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 11:02
S51	480385	(3d or 3-d or ((three or "3") adj dimension\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:19
S52	480391	S51 or (three-dimension\$3 or 3-dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:19

S53	21771	S52 near5 model\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 10:19
S54	89	S50 same S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 15:42
S55	57	S54 and (@rlad<"20000328" or @ad<"20000328")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 11:02
S56	156	imag\$3 same ((contour or outline or boundar\$3 or border) with (polygon\$3 near3 approximat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 16:02
S57	118	S56 and (@rlad<"20000328" or @ad<"20000328")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 11:25
S58	1	("6356272").PN.	USPAT	OR	OFF	2005/01/24 15:34
S59	4512	imag\$3 same ((contour or outline or boundar\$3 or border) with (polygon\$3 or triang\$4 or rectang\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 15:42
S60	479827	(3d or 3-d or ((three or "3") adj dimension\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 15:42
S61	479833	S60 or (three-dimension\$3 or 3-dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 15:42

S62	21735	S61 near5 model\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 15:42
S63	89	S59 same S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 15:43
S64	1	("6356272").PN.	USPAT	OR	OFF	2005/01/24 15:44
S65	479827	(3d or 3-d or ((three or "3") adj dimension\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 16:02
S66	479833	S65 or (three-dimension\$3 or 3-dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 16:02
S67	21735	S66 near5 model\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 16:03
S68	872	S67 with texture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 16:03
S69	83	S68 same (lighting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 16:03
S70	2	S68 same (background near5 lighting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 16:03



S71	20	S69 and (@rlad<"20000328" or @ad<"20000328")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 16:04
-----	----	--	---	----	----	------------------